



Laboratory Part
技工类

Page 33-66 第33-66页



Diamond bur 金刚石磨头

Page 34-35 第34-35页

Fully-sintered Diamond bur
全砂烧结磨头

Page 36-37 第36-37页

Sintered Diamond Disc
Diamond Disc

烧结切片、金刚石切片

Page 38-40 第38-40页

CAD / CAM Milling Bur
铣刀

Page 41-43 第41-43页

Tungsten Carbide bur
钨钢车针

Page 44-47 第44-47页

Diamond Stones & Polisher
陶瓷(橡胶) 结合剂金刚石磨头
(全瓷、全锆磨头)

Page 48-52 第48-52页

Silicon Polisher
硅胶抛光磨头

Page 53-54 第53-54页

Mounted stone, Sandpaper
车石、砂纸棒

Page 55 第55页

Polishing Brushes, Felt burs
Mandrels

抛光刷、毛毡磨头、夹针

Page 56-58 第56-58页

Hard Z Cutter etc .
硬锆磨头等

Page 59 第59页

Kit 套装

Page 60-62 第60-62页

Samples Collection
样品册

Page 63 第63页

FlexSoft Partial Denture
隐形义齿胶

Page 64 第64页

**Diamond Bur HP
(Electroplated)
金钻石磨头 (电镀)**



Sharp and Durable,
Grind or polish Ceramics
锋利、耐用
磨削平稳、不偏摆
不留黑印、适合车瓷



Grit

- Black / Super Coarse
- Green / Coarse
- Blue / Medium
- Red / Fine


**Fine Red
细砂
红圈**



编号 No. FD30 FK33 FA23 FA33 FC18 FC25 FM27 FL33 FN23 FP33

This grit can grind Zirconia 可用于车氧化锆


**Medium Blue
标准砂
蓝圈**



编号 No. MD10 MD14 MD18 MD23 MD27 MD35 MD40 MK16

Round / 圆球


Inverted Cone



MK21 MK27 MK37 MK47 MK60 MK80 MK100 MT60 MJ60 MA16 MA23

Wheel / 平轮


Cylinder / 平柱



MA33 MA50 MC18 MC25 MC30 MC40 MM12 MM18 MM27 MM37 MM50

Round Cylinder / 圆头柱

Needle / 尖针





MB12 MB16 MB21 MB31 MB40 ML16 ML23 ML33 ML40 ML50 MN18


Taper / 平锥

Round Taper / 圆头锥

Inverted Cone




Transparent Showing plates
展示台 120x120x8mm



No. 1216

7 x 7 holes
1.60mm, for FG burs



No. 1223

7 x 7 holes
2.35mm, for RA or HP burs.


Fully-Sintered Diamond Bur . HP

全砂烧结磨头



Extremely Durable,
Grind or polish smoothly
Especial for Metal


从里到外都是砂
平稳、耐用，适合车金





Grit

- Black/Super Coarse
- Green/Coarse
- Blue/Medium
- Red/Fine
- Yellow/Extra Fine


Super Coarse Black 特粗砂 黑圈







Coarse Green 粗砂 绿圈



Medium Blue 标准砂 蓝圈






Sintered Diamond Disc

烧结切割片

Grinding or Trimming of sintered Zirconia or any other Extra hard workpiece

用于切割烧结后的氧化锆或者各种超硬材质工件。



The galvanically sintered edge of the diamond discs offers excellent cutting performance.

提供三种不同粒度的砂粒，供您试用。



70 µm

Item No.



1




S394/190/0.25mm

19 x 0.25mm



S394/220/0.25mm

22 x 0.25mm



S394/190/0.30mm

19 x 0.3mm



S394/220/0.30mm

22 x 0.3mm



60 µm

Item No.



1



S395/190/0.25mm

19 x 0.25mm



S395/220/0.25mm

22 x 0.25mm



S395/190/0.30mm

19 x 0.3mm



S395/220/0.30mm

22 x 0.3mm



40 µm

Item No.



1



S396/190/0.25mm

19 x 0.25mm



S396/220/0.25mm

22 x 0.25mm



S396/190/0.30mm

19 x 0.3mm



S396/220/0.30mm



22 x 0.3mm

Diamond Disc

金刚石切片



How to order these Discs:




Extra Thin, 0.15mm
Double sided
Extra Fine
超薄, 双面砂



编号 No. A19D15 A22D15 Am13D15 Am16D15 Am19D15 Am22D15

Thin, 0.20 x 19mm
Double sided
Fine Grit
较薄, 双面砂



编号 No. A19D20 B19D20 C19D20 N19D20 Am19D20 Bm19D20 Em19D20 Hm19D20

Thin, 0.20 x 22mm
Double sided
Fine Grit
较薄, 双面砂




编号 No. Am22D20 Bm22D20 Cm22D20 Em22D20 Im22D20 Jm22D20 Hm22D20




A22D20 B22D20 C22D20 E22D20 F22D20 H22D20 J22D20 N22D20


Hard, 0.3 - 0.4mm
Double sided
Medium Grit
厚硬, 双面砂



编号 No. Am19D30 Am22D30 Am22D40 A19D40 A22D40
 19.0 x 0.3 mm 22.0 x 0.3 mm 22.0 x 0.4 mm 19.0 x 0.4 mm 22.0 x 0.4 mm




Single-sided
仅单面镀砂



编号 No. A22S20 Am22S20 Am22S30
 22.0 x 0.2 mm, Fine 22.0 x 0.2 mm 22.0 x 0.3 mm, Medium

Fast Cutting
Plaster Disc ,
0.3mm,
Double sided
石膏模切片
平整、无偏摆




编号 No.

C30D30

A35D30

C35D30

J35D30



40mm


40mm

40mm

A40D30

C40D30

J40D30



45mm

45mm

85mm

Cb45D30

Ab45D30

Ch85D30

Article No	Coating	D1	L1	L2	L3	D2
for Roland 00						
RL-00-06-ED	Dia.	0.6/1.5	9.0	—	40	3.0
RL-00-10-ED	Dia.	1.0	6.0	—	40	3.0
RL-00-25-ED	Dia.	2.5	15.0	—	40	3.0

Article No	Coating	D1	L1	L2	L3	D2
for Amann Girrbach 00						
AG-00-04-ED	Dia.	0.4	6.5	—	43	3.0
AG-00-10-ED	Dia.	1.0	14.0	—	43	3.0
AG-00-14-ED	Dia.	1.4	14.0	—	43	3.0
AG-00-18-ED	Dia.	1.8	14.0	—	43	3.0

Article No	Coating	D1	L1	L2	L3	D2
for VHF						
VH-00-06-ED	Dia.	0.6	6.0	—	35	3.0
VH-00-10-ED	Dia.	1.0	9.0	—	35	3.0
VH-00-25-ED	Dia.	2.5	16.0	—	35	3.0

Article No	Coating	D1	L1	L2	L3	D2
for Imes-Icore 350, 550, 750						
II-75-06-ED	Dia.	0.6	10.0	—	40	6.0
II-75-10-ED	Dia.	1.0	10.0	—	40	6.0
II-75-25-ED	Dia.	2.5	15.0	—	40	6.0

Article No	Coating	D1	L1	L2	L3	D2
for Imes-Icore 240, 250						
II-24-06-ED	Dia.	0.6	10.0	—	43	3.0
II-24-10-ED	Dia.	1.0	10.0	—	45	3.0
II-24-25-ED	Dia.	2.5	15.0	—	42	3.0

CAD / CAM Milling Burs for Lithium Disilicate 铣刀(加工玻璃陶瓷)

D1 : Cutting Edge Diameter (.mm) **L1** : Cutting Edge Length (.mm)
D2 : Shank Diameter (.mm) **L2** : Free Grinding to (.mm)
L3 : Total Length (.mm)

Article No	Coating	D1	L1	L2	L3	D2
for Sirona MCX5						
SR-X5-06-ED	Dia.	0.6	14.5	—	34.5	3.0
SR-X5-12-ED	Dia.	1.2	12.5	—	36.5	3.0
SR-X5-14-ED	Dia.	1.4	14.5	—	35.5	3.0
SR-X5-22-ED	Dia.	2.2	15.5	—	37.5	3.0

Article No	Coating	D1	L1	L2	L3	D2
for Sirona MCXL						
SR-XL-C125-ED	Dia.	—	13.7	—	38	3.5
SR-XL-S125-ED	Dia.	—	13.7	—	38	3.5
SR-XL-S12-ED	Dia.	—	13.2	—	38	3.5

Article No	Coating	D1	L1	L2	L3	D2
for Sirona MCXL						
SR-XL-CP12EF-ED	Dia.	—	19.0	—	40	3.5
SR-XL-C12EF-ED	Dia.	—	19.0	—	40	3.5

Article No	Coating	D1	L1	L2	L3	D2
for Sirona MCXL						
SR-XL-C20-ED	Dia.	—	21.5	—	46	3.5
SR-XL-S20-ED	Dia.	—	22.0	—	46.3	3.5

Article No	Coating	D1	L1	L2	L3	D2
for Sirona Cerec 3						
SR-C3-CP-ED	Dia.	—	9.3	—	23.5	1.8
SR-C3-125-ED	Dia.	—	13.2	—	25.2	1.8
SR-C3-105-ED	Dia.	—	11.5	—	23.3	1.8

Article No	Coating	D1	L1	L2	L3	D2
for Dentium						
DT-00-06-ED	Dia.	0.6	19.8	—	50	6.0
DT-00-10-ED	Dia.	1.0	19.8	—	50	6.0
DT-00-20-ED	Dia.	2.0	19.8	—	50	6.0


Article No	Coating	D1	L1	L2	L3	D2
for Dentium						
DT-01-10-ED	Dia.	1.0	10.0	—	45	3.0
DT-01-20-ED	Dia.	2.0	12.0	—	45	3.0

Article No	Coating	D1	L1	L2	L3	D2
for Arum						
AR-00-10-ED	Dia.	1.0	10.5	—	50	6.0
AR-00-15-ED	Dia.	1.5	12.5	—	50	6.0
AR-00-20-ED	Dia.	2.0	12.5	—	50	6.0
AR-00-25-ED	Dia.	2.5	12.5	—	50	6.0

Article No	Coating	D1	L1	L2	L3	D2
for Arum 400						
AR-01-06-ED	Dia.	0.6	12.5	—	41	4.0
AR-01-10-ED	Dia.	1.0	16.0	—	44.5	4.0
AR-01-15-ED	Dia.	1.5	16.0	—	44.5	4.0
AR-01-25-ED	Dia.	2.5	16.0	—	44.5	4.0

CAD / CAM Milling Burs.


铣刀



D1 : Cutting Edge Diameter (.mm) **L1** : Cutting Edge Length (.mm)
D2 : Shank Diameter (.mm) **L2** : Free Grinding Length (.mm)
L3 : Total Length (.mm)

Coating

CrN : for PMMA
 AL : for Metal
 NC : for Zirconia
 DC : for Zirconia,
 More Durable.



Article No	Coating	D1	L1	L2	L3	D2
for Roland 50						
RL-50-03-NC	NC	0.3	1.5	6.0	50.0	4.0
RL-50-06-CRN	CRN	0.6	1.5	6.0	50.0	4.0
RL-50-06-NC	NC					
RL-50-10A-CRN	CRN	1.0	3.5	16.0	50.0	4.0
RL-50-10A-NC	NC					
RL-50-20A-CRN	CRN	2.0	6.0	16.0	50.0	4.0
RL-50-20A-NC	NC					
RL-50-20A-DC	DC					
RL-50-10B-CRN	CRN	1.0	3.5	20.0	50.0	4.0
RL-50-10B-NC	NC					
RL-50-20B-CRN	CRN	2.0	6.0	25.0	52.0	4.0
RL-50-20B-NC	NC					
RL-50-20B-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for 3 M ESPE LAVA						
LV-00-10-CRN	CRN	1.0	3.5	16.0	38.0	3.0
LV-00-10-NC	NC					
LV-00-20-CRN	CRN	2.0	6.0	16.0	38.0	3.0
LV-00-20-NC	NC					
LV-00-20-DC	DC					
LV-01-10-CRN	CRN	1.0	2.0	25.0	50.0	3.0
LV-01-10-NC	NC					
LV-01-20-CRN	CRN	2.0	2.0	25.0	50.0	3.0
LV-01-20-NC	NC					
LV-01-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for RK						
RK-00-10-DC	DC	1.0	3.5	16.0	47.0	3.0
RK-00-20-DC	DC	2.0	3.5	16.0	47.0	3.0

Article No	Coating	D1	L1	L2	L3	D2
for Imes-Icore 240, 250						
II-24-06-CRN	CrN	0.6	1.5	10.0	48.0	3.0
II-24-06-NC	NC					
II-24-10-CRN	CrN	1.0	5.0	14.0	48.0	3.0
II-24-10-NC	NC					
II-24-25-CRN	CrN	2.5	8.0	20.0	48.0	3.0
II-24-25-NC	NC					
II-24-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Imes-Icore 350, 550, 750						
II-75-06-CRN	CrN	0.6	2.5	12.0	53.0	6.0
II-75-06-NC	NC					
II-75-10-CRN	CrN	1.0	6.0	14.0	53.0	6.0
II-75-10-NC	NC					
II-75-25-CRN	CrN	2.5	10.0	20.0	53.0	6.0
II-75-25-NC	NC					
II-75-25-DC	DC					



Article No	Coating	D1	L1	L2	L3	D2
for Amann Girrbach						
AG-00-06-CRN	CrN	0.6	1.5	13.0	47.0	3.0
AG-00-06-NC	NC					
AG-00-10-CRN	CrN	1.0	3.5	16.0	47.0	3.0
AG-00-10-NC	NC					
AG-00-25-CRN	CrN	2.5	5.0	16.0	47.0	3.0
AG-00-25-NC	NC					
AG-00-25-DC	DC					




Article No	Coating	D1	L1	L2	L3	D2
for Amann Girrbach - Metal mill						
AG-01-10-AL	Alnova	1.0	5.0	7.0	43.0	3.0
AG-01-20-AL	Alnova	2.0	5.0	7.0	43.0	3.0




Article No	Coating	D1	L1	L2	L3	D2
for VHF K1, K4						
VH-K4-06-CRN	CRN	0.6	2.0	7.0	35.0	3.0
VH-K4-06-NC	NC					
VH-K4-10-CRN	CRN	1.0	3.5	16.0	35.0	3.0
VH-K4-10-NC	NC					
VH-K4-20-CRN	CRN	2.0	5.0	16.0	35.0	3.0
VH-K4-20-NC	NC					




Article No	Coating	D1	L1	L2	L3	D2
for VHF K5						
VH-K5-03-NC	CRN	0.3	1.2	13.0	40.0	3.0
VH-K5-06-CRN	CRN	0.6	1.5	7.0	40.0	3.0
VH-K5-06-NC	NC					
VH-K5-10-CRN	CRN	1.0	3.5	14.0	40.0	3.0
VH-K5-10-NC	NC					
VH-K5-20-CRN	CRN	2.0	4.5	16.0	40.0	3.0
VH-K5-20-NC	NC					
VH-K5-20-DC	DC					



Article No	Coating	D1	L1	L2	L3	D2
for Dentium						
DT-00-10-NC	NC	1.0	3.5	16.0	50.0	6.0
DT-00-20-NC	NC	2.0	3.5	16.0	50.0	6.0
DT-00-20-DC	DC					
DT-01-05-NC	NC	0.5	2.0	8.0	43.0	3.0
DT-01-10-CrN	CrN	1.0	3.5	16.0	50.0	3.0
DT-01-10-NC	NC					
DT-01-20-CrN	CrN	2.0	3.5	18.0	50.0	3.0
DT-01-20-NC	NC					
DT-01-20-DC	DC					




Article No	Coating	D1	L1	L2	L3	D2
for Zirkon Zahn M3						
						
ZZ-03-05-CrN	CrN	0.5	1.5	6.0	57.0	3.0
ZZ-03-05-NC	NC					
						
ZZ-03-10-CrN	CrN	1.0	6.0	12.0	57.0	3.0
ZZ-03-10-NC	NC					
						
ZZ-03-20-CrN	CrN	2.0	10.0	18.0	57.0	3.0
ZZ-03-20-NC	NC					
ZZ-03-20-DC	DC					




Article No	Coating	D1	L1	L2	L3	D2
for Zirkon Zahn M5, M6, etc						
						
ZZ-06-05-NC	NC	0.5	1.5	3.0	50.0	6.0
						
ZZ-06-10-NC	NC	1.0	6.0	12.0	50.0	6.0
						
ZZ-06-20-NC	NC	2.0	10.0	18.0	50.0	6.0
ZZ-06-20-DC	DC					



Article No	Coating	D1	L1	L2	L3	D2
for Sirona MX 5						
						
SR-MX-05-NC	NC	0.5	1.5	5.0	42.0	3.0
						
SR-MX-10-NC	NC	1.0	4.5	18.0	43.0	3.0
						
SR-MX-25-NC	NC	2.5	7.0	25.0	43.0	3.0
SR-MX-25-DC	DC					



Article No	Coating	D1	L1	L2	L3	D2
for Cercon						
						
CC-00-05-NC	NC	0.5	2.0	10.0	55.0	3.5
						
CC-00-10-NC	NC	1.0	8.0	30.0	55.0	3.5
						
CC-00-20-NC	NC	2.0	10.0	30.0	55.0	3.5





Article No	Coating	D1	L1	L2	L3	D2
for Arum						
						
AR-00-10-CrN	CrN	1.0	2.0	16.0	55.0	6.0
AR-00-10-NC	NC					
						
AR-00-20-CrN	CrN	2.0	6.0	20.0	55.0	6.0
AR-00-20-NC	NC					
AR-00-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Wieland Mini						
						
WL-MI-07-CrN	CrN	0.7	1.5	7.0	35.0	3.0
WL-MI-07-NC	NC					
						
WL-MI-10-CrN	CrN	1.0	3.5	16.0	35.0	3.0
WL-MI-10-NC	NC					
						
WL-MI-25-CrN	CrN	2.5	3.5	20.0	35.0	3.0
WL-MI-25-NC	NC					

Article No	Coating	D1	L1	L2	L3	D2
for Wieland S1						
						
WL-S1-07-CrN	CrN	0.7	1.5	7.0	40.0	3.0
WL-S1-07-NC	NC					
						
WL-S1-10-CrN	CrN	1.0	3.5	16.0	40.0	3.0
WL-S1-10-NC	NC					
						
WL-S1-25-CrN	CrN	2.5	5.0	20.0	40.0	3.0
WL-S1-25-NC	NC					
WL-S1-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Kavo						
						
KA-00-10-DC	DC	1.0	2.0	16.0	53.0	6.0
						
KA-00-20-DC	DC	2.0	6.0	19.5	53.0	6.0

Article No	Coating	D1	L1	L2	L3	D2
for Yena						
						
YN-00-10-NC	NC	1.0	3.5	16.0	45.0	4.0
						
YN-00-20-NC	NC	2.0	3.5	16.0	45.0	4.0
YN-00-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Arum - Metal Mill						
						
AR-01-10-AL	Alnova	1.0	2.0	10.0	50.0	6.0
						
AR-01-15-AL	Alnova	1.5	3.0	10.0	50.0	6.0
						
AR-01-20-AL	Alnova	2.0	4.0	12.0	50.0	6.0
						
AR-01-30-AL	Alnova	3.0	6.0	12.0	50.0	6.0












Tungsten Carbide Burs . HP












钨钢车针

























Shape












- S1, ISO 001, Round
- S2, ISO 002, Inverted cone
- S21, S31, ISO 107, Cylinder
- S33, ISO 168, Taper
- S31R, ISO 137, Round, Cylinder












										
S1 球型/Round	001 0.5	001 0.6	001 0.7	001 0.8	001 0.9	001 1.0	001 1.2	001 1.4	001 1.6	001 1.8
编号 No.	1005	1006	1007	1008	1009	1010	1012	1014	1016	1018
参考号 Ref.	HP1/4	HP1/2	HP1s	HP 1	HP 1b	HP 2	HP 3	HP 4	HP 5	HP 6

										
001 2.1	001 2.3	001 2.5	001 2.7	001 3.1	S2 倒锥/Inv. Cone	010 0.8	010 1.0	010 1.2	010 1.4	010 1.6
1021	1023	1025	1027	1031	2008	2010	2012	2014	2016	
HP 7	HP 8	HP 9	HP 10	HP 12	HP 34	HP 35	HP 36	HP 37	HP 38	



										
010 1.8	010 2.1	010 2.3	S21 圆柱/Cylinder	107 0.8	107 0.9	107 1.0	107 1.2	107 1.4	107 1.6	107 1.8
2018	2021	2023	21008	21009	21010	21012	21014	21016	21018	
HP 39	HP 40	HP 41	HP 55	HP 56	HP 57	HP 58	HP 59	HP 60	HP 61	

										
107 2.1	107 2.3	S31 圆柱/Cylinder	107 0.8	107 0.9	107 1.0	107 1.2	107 1.4	107 1.6	107 1.8	107 2.1
21021	21023	31008	31009	31010	31012	31014	31016	31018	31021	
HP 62	HP 63	HP 555	HP 556	HP 557	HP 558	HP 559	HP 560	HP 561	HP 562	

										
107 2.3	S33 平锥/Taper	168 0.8	168 0.9	168 1.0	168 1.2	168 1.6	168 2.1	168 2.3	S33L 平锥加长/Taper L	171 0.9
31023	33008	33009	33010	33012	33016	33021	33023	33L009		
HP 563	HP 698	HP 699	HP 700	HP 701	HP 702	HP 703	HP 704	HP 699 L		

										
171 1.0	171 1.2	171 1.6	171 2.1	S31R 圆头柱 Round Cyl.						
33L010	33L012	33L016	33L021	31R010	31R012	31R014				
HP 700 L	HP 701 L	HP 702 L	HP 703 L	HP 1557	HP 1558	HP 1559				

Tungsten Carbide Cutter . HP 钨钢磨头



Super Fine Cross Cut (SFE) 特细双纹 黄圈 ISO 500.104.110.



编号 No.	C023SFE	F040SFE	F060SFE	G023SFE	L016SFE	L023SFE	L040SFE	L060SFE	M060SFE	P023SFE
参考号 Ref.	0230.023	7230.040	5430.060	1030.023	1230.016	0130.023	5730.040	5530.060	5930.060	7730.023

Fine Cross Cut (FE) 较细双纹 红圈 ISO 500.104.140.



编号 No.	Q023SFE	Q023SFE	C023FE	C060FE	F060FE	G040FE	G060FE	L016FE	L023FE
参考号 Ref.	0830.023	0430.023	0220.023	5820.060	5420.060	6120.040	5320.060	1220.016	0120.023

Medium Cross Cut (CE) 标准双纹 蓝圈 ISO 500.104.190.



编号 No.	L040FE	L060FE	M060FE	P023FE	P060FE	Q023FE	A023CE	C023CE	C060CE
参考号 Ref.	5720.040	5520.060	5920.060	7720.023	5120.060	0420.023	0310.023	0210.023	5810.060



编号 No.	D023CE	D030CE	D040CE	D050CE	F040CE	F060CE	G023CE	G040CE	G060CE	L023CE
参考号 Ref.	7110.023	7110.030	7110.040	7110.050	7210.040	5410.060	1010.023	6110.040	5310.060	0110.023

								
201 040 14.0	201 060 15.0	167 023 14.50	167 040 14.5	161 060 15.0	237 023 5.0	237 060 11.0	292 023 16.0	001 030 3.0
L040CE	L060CE	M023CE	M040CE	M060CE	P023CE	P060CE	Q023CE	D030CN
5710.040	5510.060	—	—	5910.060	7710.023	5110.060	0410.023	7170.030

Medium Plain Cut (CN)
标准单纹
蓝圈
ISO 500.104.175.

									
001 040 4.0	001 050 5.0	201 040 14.0	201 060 15.0	161 060 14.0	257 060 12.0	274 060 14.0	201 060 14.0	274 060 14.0	257 060 12.0
D040CN	D050CN	L040CN	L060CN	M060CN	G060CN	F060CN	C060SCE	F060SCE	G060SCE
7170.040	7170.050	5770.040	5570.060	5970.060	5370.060	5470.060	5850.060	5450.060	5350.060

Coarse Cross Cut (SCE)
粗糙双纹
绿圈
ISO 500.104.220

							
201 040 14.0	201 060 14.0	237 060 11.0	263 070 14.0	274 060 15.0	201 023 14.5	200 045 13.0	263 060 12.0
L040SCE	L060SCE	P060SCE	L070XCE	F060QSCN	L023QSCN	L045QSCN	LB060QSCN
5750.040	5550.060	5150.060	6055.070	7275.060	0175.023	5675.045	5275.060

Super Coarse Cross Cut (XCE)
特粗双纹
黑圈
ISO 500.104.223

Straight Edge with Spiral Cut (QSCN)
直刃螺旋纹
蓝圈
ISO 500.104.176

							
141 023 8.0	194 023 8.0	201 040 14.0	289 023 8.0	274 040 11.5	274 060 15.0	201 023 14.5	201 040 13.0
CS023GTi	LS023GTi	L040GTi	QS023GTi	F040QF	F060QF	L023QF	L040QF
1726.023	0726.023	5726.040	0826.023	7224.040	5424.060	0124.023	5724.040

Straight Edge with Cross Cut (GTi)
直刃双纹
黑圈
ISO 500.104.194

Spiral Cut Fine (QF)
较细螺旋纹
红圈
ISO 500.104.134

						
141 023 8.0	274 060 14.0	198 023 8.0	201 040 14.0	289 023 8.0	118 060 3.5	467 023 9.0
CS023QSF	F060QSF	LS023QSF	L040QSF	QS023QSF	ES801	AL023S4
1725.023	5425.060	0725.023	5725.040	0825.023	118.060	467.023

Spiral Cut Extra Fine (QSF)
特细螺旋纹
黄圈
ISO 500.104.137


Tungsten Carbide Burs for Milling Machines

钨钢车针(精密研磨仪用)



Precisely match Various System
 Extra - long working life & high cutting capacity ;
 Used for trimming, polishing implant teeth shoulders ;
 Milling precious or Non-precious metals or Titanium .

Medium
 Cross Cut
 (CM, LM)
 标准双纹
 ISO 500.103.190




Fine
 Cross Cut
 (CF, LF)
 较细单纹
 ISO 500.103.135



Coarse
 Cross Cut
 (CC, LC)
 粗糙双纹
 ISO 500.103.220



Max Mill
 (CW, LW)
 蜡型针
 ISO 500.103.217



DuCoBur[®] 陶瓷结合剂金刚石磨头 (全瓷、全锆磨头)

Diamond Stones for Zirconia or AllCeramics (Ceramic Pregnant Diamond Grinding Burs)



Widely Used for Zirconia, Lithium Disilicate, Ceramics etc.
COMFORTABLE at the minimal pressure;
HEATLESS no need water cooling;
MORE DURABLE under our suggested PRM

不产热、无需水冷 更耐磨、经济实惠 更锋利、手感好 不绷瓷、更轻松 型号齐、用途广、啥都磨得动

Medium Blue
蓝色、中等粒度



Item No.	DC009	DC010	DC010B	DC011	DC014	DC015	DC016	DC017	DC003A
Size (mm)	4 x 4	4 x 7	4 x 11	3 x 7	2.5 x 4.5	3.5 x 10	2.5 x 7	3.5 x 11	6.5 x 2



Item No.	DC001	DC002	DC002B	DC012	DC012B	DC013	DC004A
Size (mm)	4 x 13	5 x 13	6.5 x 13	13 x 2	13 x 3.5	13 x 2	16 x 2/0.7



Item No.	DC005A	DC004	DC005	DC006	DC007
Size (mm)	16 x 2	22 x 2/0.7	22 x 2	22 x 4.5	15 x 3.5

Medium Black
黑色、中等粒度



Item No.	DX001	DX002	DX002B	DX012	DX012B	DX013	DX004A
Size (mm)	4 x 13	5 x 13	6.5 x 13	13 x 2	13 x 3.5	13 x 2	16 x 2/0.7



Item No.	DX005A	DX004	DX005	DX006	DX007
Size (mm)	16 x 2	22 x 2/0.7	22 x 2	22 x 4.5	15 x 3.5

Medium Yellow

黄色、中等粒度



Item No.	DY001	DY002	DY002B	DY012	DY012B	DY013	DY004A
Size (mm)	4 x 13	5 x 13	6.5 x 13	13 x 2	13 x 3.5	13 x 2	16 x 2/0.7




DY005A	DY004	DY005	DY006	DY007
16 x 2	22 x 2/0.7	22 x 2	22 x 4.5	15 x 3.5

Medium Green


绿色、中等粒度



Item No.	DG009	DG010	DG010B	DG011	DG014	DG015	DG016	DG017	DG003A
Size (mm)	4 x 4	4 x 7	4 x 11	3 x 7	2.5 x 4.5	3.5 x 10	2.5 x 7	3.5 x 11	6.5 x 2



DG001	DG002	DG002B	DG012	DG012B	DG013	DG004A
4 x 13	5 x 13	6.5 x 13	13 x 2	13 x 3.5	13 x 2	16 x 2/0.7




DG005A	DG004	DG005	DG006	DG007
16 x 2	22 x 2/0.7	22 x 2	22 x 4.5	15 x 3.5

Extra Fine
Yellow
Gold shank

Suitable to adjusting Lithium Disilicate, All Ceramics, Zirconia of Occlusal, Lingual, Edge, Intracoronal, Proximal etc. Dentists will feel very convenient if they can prepare a few pieces beside the chairs.


专门针对诊所的全瓷、玻璃陶瓷打磨抛光、氧化锆牙调咬合、发育沟、窝沟、边缘、内冠、邻面、舌侧等。黄色、特细粒度。粒度细、不绷瓷。



DuCoBur® 豆酷巴

橡胶结合剂金刚石磨头
(全瓷、全锆抛光磨头)

Diamond Polishers for Zirconia or AllCeramics
(Rubber Pregnant Diamond Polishing Burs)



Widely Used for Zirconia, Lithium Disilicate, Ceramics etc.

COMFORTABLE at the minimal pressure;
HEATLESS no need water cooling;
MORE DURABLE under our suggested PRM

不产热、无需水冷 更耐磨、经济实惠 手感好、很服帖 抛就亮、更轻松 型号齐、用途广、啥都抛得亮

Super Coarse
Black
黑色、特粗粒度



Item No.

D1S

D2AS

D2S

D3S

D3BS

Size (mm)

26 x 2

20 x 2

26 x 2

22 x 3

26 x 2

Coarse
Green
绿色、粗糙粒度



Item No.

D1C

D2AC

D2C

D3C

D3BC

Size (mm)


26 x 2

20 x 2

26 x 2

22 x 3

26 x 2

 Medium Blue
 蓝色、中等粒度
 1



Item No.	D1M	D2AM	D2M	D3M	D3BM
----------	-----	------	-----	-----	------

Size (mm)	26 x 2	20 x 2	26 x 2	22 x 3	26 x 2
-----------	--------	--------	--------	--------	--------



D201M	D203M	D205M	D205BM	D207M	D13M	D17M	D26M
-------	-------	-------	--------	-------	------	------	------

5 x 16	6 x 16	12 x 2	12 x 4	12 x 2.5	14 x 2	17 x 2.2	26 x 2.2
--------	--------	--------	--------	----------	--------	----------	----------

 Fine Red
 红色、较细粒度
 1



Item No.	D1F	D2AF	D2F	D3F	D3BF
----------	-----	------	-----	-----	------

Size (mm)	26 x 2	20 x 2	26 x 2	22 x 3	26 x 2
-----------	--------	--------	--------	--------	--------



D201F	D203F	D205F	D205BF	D207F	D13F	D17F	D26F
-------	-------	-------	--------	-------	------	------	------

5 x 16	6 x 16	12 x 2	12 x 4	12 x 2.5	14 x 2	17 x 2.2	26 x 2.2
--------	--------	--------	--------	----------	--------	----------	----------

Extra Fine
Yellow
黄色、特细粒度



Item No.	D1EF	D2AEF	D2EF	D3EF	D3BEF
----------	------	-------	------	------	-------

Size (mm)	26 x 2	20 x 2	26 x 2	22 x 3	26 x 2
-----------	--------	--------	--------	--------	--------



D201EF	D203EF	D205EF	D205BEF	D207EF	D13EF	D17EF	D26EF
--------	--------	--------	---------	--------	-------	-------	-------

5 x 16	6 x 16	12 x 2	12 x 4	12 x 2.5	14 x 2	17 x 2.2	26 x 2.2
--------	--------	--------	--------	----------	--------	----------	----------

Ultra Fine
Grey
灰白色、特细粒度



Item No.	D1UF	D2AUF	D2UF	D3UF	D3BUF
----------	------	-------	------	------	-------


Size (mm)	26 x 2	20 x 2	26 x 2	22 x 3	26 x 2
-----------	--------	--------	--------	--------	--------



D201UF	D203UF	D205UF	D205BUF	D207UF	D13UF	D17UF	D26UF
--------	--------	--------	---------	--------	-------	-------	-------

5 x 16	6 x 16	12 x 2	12 x 4	12 x 2.5	14 x 2	17 x 2.2	26 x 2.2
--------	--------	--------	--------	----------	--------	----------	----------

**Silicon Rubber Wheels ,
Points & Burs
For Polish Ceramics
胶轮、胶粒、硅胶磨头
(烤瓷牙抛光)**



White, Coarse , to adjust and remove Porcelain
白色, 粗糙, 用于烤瓷工件的修整。
Pink, Medium , to Smooth or polish Porcelain,
粉色, 中等, 用于烤瓷毛面平整和预抛光。
Blue, Fine , to high-lustre polishing Porcelain,
蓝色, 较细, 用于烤瓷工件的细抛光。

Coarse
White
白色、粗糙



100

Item No.

C 104 C

C 107 C

C 101 C

C203C

C201C

C205C

C207C

Size (mm)

22x 3

22 x 3

6 x 22

6 x 13

5 x 13

12 x 2

13 x 2

Medium
Pink
粉色、中等粒度



100

Item No.

C 104 M

C 107 M

C 101 M

C203M

C201M

C205M

C207M

Size (mm)

22x 3

22 x 3

6 x 22

6 x 13

5 x 13

12 x 2

13 x 2

Fine
Blue
蓝色、较细



100

Item No.

C 104 F

C 107 F

C 101 F

C203F

C201F

C205F

C207F

Size (mm)

22x 3

22 x 3

6 x 22

6 x 13

5 x 13

12 x 2

13 x 2

**Rubber Wheels , Points & Burs
For Polish Metal or Alloy
胶轮、胶粒、橡胶磨头
(金属、合金抛光)**



Black, Coarse , to adjust Cobalt-Chromium
Alloy and hard metal
黑色, 粗糙, 用于磨削钴铬合金和硬金属。
Brown, Medium , to remove metal and
semi-precious metal
棕色, 中等, 用于烤瓷毛面平整和预抛光。
Green, Fine , to fast smooth scratch or polish metal,
绿色, 较细, 用于快速去除划痕和抛光金属。

Coarse
Black
黑色、较粗



100

Item No.

A102 C

A103C

A104 C

A203C

A201C

A206C

A207C

Size (mm)

22x 3

22 x 3

6 x 22

4 x 12

5 x 13

12 x 2

13 x 2


Medium Brown
棕色、中等粒度
100



Item No. A102 M A103 M A104 M A203M A201M A206M A207M

Size (mm) 22x 3 22 x 3 6 x 22 4 x 12 5 x 13 12 x 2 13 x 2

Fine Green
绿色、较细
100



Item No. A102 F A103 F A104 F A203F A201F A206F A207F

Size (mm) 22x 3 22 x 3 6 x 22 4 x 12 5 x 13 12 x 2 13 x 2

Silicon Polishing Burs
For Composites, Resins
硅胶磨头
(树脂胶托抛光)



Green, Coarse, to reduce, finish Acrylic, Resin.
绿色, 粗糙, 用于修整和成型树脂胶托。
Gray, Medium, to Smooth Acrylic, Resin.
灰黑色, 中等, 用于平整和预抛光树脂胶托。
Yellow, Fine, to final polish Acrylic, Resin.
黄色, 较细, 用于树脂胶托的细抛光。

Coarse Green
绿色、粗糙
100



Item No. Rh 101 C Rh 103 C Rh 106 C R103C R106C R209C

Size (mm) 13 x 20 10x 24 10 x 20 10x 24 10 x 20 6 x 13

Medium Gray
灰黑、中等粒度
100



Item No. Rh 101 M Rh 103 M Rh 106 M R103M R106M R209M

Size (mm) 13 x 20 10x 24 10 x 20 10x 24 10 x 20 6 x 13

Fine Yellow
黄色、较细
100




Item No. Rh 101 F Rh 103 F Rh 106 F R103F R106F R209F R202F

Size (mm) 13 x 20 10x 24 10 x 20 10x 24 10 x 20 6 x 13 4 x 12

Green Stones
Contour Ceramic



绿车石
调烤瓷




Pink Stones
for Metal
粉车石
调金属,合金



White Stone
for Metal
Composite,
白车石
调金属,树脂




Mounted Sandpaper 砂纸棒







Polishing Brushes 抛光刷

							
百洁布 暗红,中粗	百洁布 红,硬	百洁布 棕,中粗	百洁布 紫,软	百洁布 普通			
01MT25 Red.Soft	01Mp25 Red.coarse	01My25 Brown. Medium	01Ms25 Purple.fine	01M22 Blue			
							
碳化硅 磨料丝	氧化铝 磨料丝	曲钢丝	曲铜丝	黑猪鬃	灰马毛	灰羊毛	
01SiC22 Silicon Carbide	01Al22 Al. Oxide	01A22 Crimped steel wire	01B22 Crimped brass wire	01D22 Chungking Bristle	01E22 Grey Pony hair	01F22 Grey goat hair	
							
白羊毛	灰羊毛 +超纤皮	黑猪鬃 19mm	灰马毛	灰羊毛	白羊毛		
01G22 White goat hair	01Fr22 Goat hair / chamois	01D19 Chungking Bristle	01E19 Grey Pony hair	01F19 Grey goat hair	01G19 White goat hair		
							
黄棉布	白棉布	橘红 羊皮	双面绒 羊皮	咖啡 超纤	白厚 超纤	羊绒	白棉线
01P22 Yellow cloth	01Q22 White cloth	01R22 Chamois leather	01Ry22 Sheep Leather	01R22.2 Brown Micro-Fiber	01Ry22.2 White Microfiber	01S22 Cashmere	01T22 Cotton yarn
							
黑猪鬃	灰马毛	白羊毛	曲钢丝	曲铜丝	黑猪鬃	灰羊毛	
02D22 Chungking Bristle	02E22 Pony hair	02G22 White goat hair	04A12 Steel	04B12 Brass	04D12 Bristle	04F12 Goat Hair	
							
碳化硅 磨料丝	氧化铝 磨料丝	曲钢丝	曲铜丝	黑猪鬃	灰马毛	灰羊毛	
05SiC05 SiC	05Al05 Al. Oxide	05A05 Steel	05B05 Brass	05D05 Bristle	05E05 Pony Hair	05F05 Goat Hair	

Polishing brush & Wheel
in Bristle, Cotton Cloth
抛光刷



These brushes are made of bristle hair or White, yellow pure cotton cloth, assembled on polishing latch to finish or polish Plaster Moulds, Acrylic 台式抛光机配用的抛光刷/布轮,用于抛光塑料,树脂,模型等。



Item	2A	2B	2C	6A	6B	6C	J03	J02	J01	P80	03B48
D	79	73	68	64	60	54	70	58	51	80	48
d	48	48	48	35	35	35	35	30	25	40	25
e	6.5	6.5	6.5	6.5	6.5	6.5	8.5/5	8/5	7/5	6.5	6.35
B	16	16	16	16	16	16	24	16.5	15	36	9
Rows	2	2	2	2	2	2	3	2	1	4	1


Converging

Straight

Felt Bobs & Burs 毛毡磨头




03N25 25 x 5 mm, 硬质	03Ns25 25 x 5 mm, 软质	3P 15 x 25 mm	2P 20 x 40 mm	1P 22 x 50 mm	1R 22 x 50 mm
-------------------------------	--------------------------------	-------------------------	-------------------------	-------------------------	-------------------------




G6 6.0 15.0	G9 9.0 18.0	A6 6.0 15.0	A9 9.0 18.0	N22 22.0 4.0	P19 19.0 4.0	P22 22.0 5.0	T22 22.0 5.0
--------------------------	--------------------------	--------------------------	--------------------------	---------------------------	---------------------------	---------------------------	---------------------------

Mandrels Stainless Reinforced 不锈钢夹针



编号 No.	32HS	51HS	52HS	81HS	25HS	53HS	55HS	D20HS	D30HS	52D
Head size	3.0mm	5.0mm	5.0mm	8.0mm	2.5mm	5.0mm	5.0mm	5.0mm	6.0mm	5.0mm

Mandrels Steel 普通夹针




编号 No.	51H	52H	72H	54H
Head size	5.0mm	5.0mm	7.0mm	5.0mm

Hard Z Cutter 硬锆磨头


Made of Nano-grade Zirconia, used to grinding, finishing or polishing Ceramics and Acrylic, Resin, Zirconia etc. Also applied to Soft materials such as wood, Ceramic or stones etc

用于打磨,成型,抛光烤瓷,树脂,氧化锆(烧结前)。特殊的纳米级氧化锆胚体制而成。



Sharpening Stones 磨刀石

Adjust to minimum speed;
Touch the stones softly.
Using water will be better



Cleaning Brushes By Hand 清洁刷(手用)




Stainless Steel Disc 不锈钢小锯片

for Soft Plastic, Acrylic, Wood etc.




Stone Disc 刚玉车片



3Z09.1


Zirconia Luster Polishing Kit
氧化锆抛光套装



- + 2 pieces of Diamond Stones DG001 , DG012
- + 2 pieces of Diamond Polishers, Blue, D203M, D3M
- + 2 pieces of Diamond Polishers, Yellow, D203EF, D3EF

3Z00.2


Grinding and polishing Kit of Zirconia
氧化锆打磨抛光套装



- + 2 pieces of Tungsten carbide Burs HP 699, F040SFE
- + 1 set of Diamond Disc Em19D20 Mounted
- + 4 pieces of HP Diamond Burs: MK37, FM27, FD30, MD14
- + 4 pieces of Diamond Stones: DG017, DG002, DG004, DG005
- + 4 pieces of Diamond Polishers: D205M, D205F, D205EF, D201EF .

3Z00.3


Grinding and Polishing Kit for Zirconia
氧化锆打磨抛光套装



- + 1 piece HP Tungsten Carbide Burs HP 699
- + 5 pieces Diamond Burs: MG50, MD14, FD30, FM27, MK37 ;
- + 1 set of Diamond Disc Hm19D20 Mounted
- + 1 piece of Diamond Polisher D1M
- + 1 set of Silicon polisher C104C Mounted

3L04.2


Grinding and Polishing Kit for Lithium Disilicate
玻璃陶瓷打磨抛光套装



- + 1 set of Diamond Disc HM19D20, Mounted ,
- + 3 pieces of Diamond Stones DG017 , DG004, DY001EF
- + 3 pieces of HP Diamond Burs MD10, MB12, MR23
- + 3 piece of Diamond Polisher D1M, D13F, D13UF
- + 1 piece of Silicon Polisher C205C

3L04.3


Grinding and Polishing Kit for Lithium Disilicate
玻璃陶瓷打磨抛光套装



- + 1 set of Diamond Disc HM19D20, Mounted ,
- + 2 pieces of Diamond Stones DG004, DY001EF ,
- + 3 pieces of HP Diamond Burs MR23, ML16, MM27 ,
- + 1 piece of Diamond Polisher D1M
- + 1 piece of Silicon Polisher C205C

3MC02.3

Adjusting and Polishing Kit for Ceramics
烤瓷工件打磨抛光套装



- + 1 piece of HP Diamond Burs MR23
- + 1 piece of HP Silicon Polisher C203C
- + 1 piece of Diamond Polisher D26f
- + 2 pieces of Polishing Brushes 01G22 , N22

3MR09.1

Adjust & Polish Invisible Braces
隐形牙套调整抛光套装



- + 1 piece of Tungsten Carbide Burs AL02354
- + 1 set of Diamond Disc C19D20, Mounted
- + 2 pieces of Polishing Brushes 01Ms25 , 01S22

3A00.1

Popular HP Kit for grinding or polish Metal or Alloy
常用打磨抛光金属、合金的套装



- * Universally grind, remove, polish and finish of Alloy, metal, Jewellery, stones etc. It widely applied to Laboratory, DIY or Hobbies.
- + 5 pieces of HP sintered diamond burs ,
- + 4 pieces of HP Tungsten Carbide Cutters
- + 10 pieces of HP Tungsten Carbide burs
- + 4 pieces of White stones
- + 2 pieces of Pink stones
- + 10 pieces of HP Silicon Polishers
- + 3 pieces of Rubber wheel mounted
- + 1 piece of Woolen Felt wheel mounted ,
- + 5 pieces of HP Polishing brushes

3MC00.1

Popular HP Kit for grinding or polish Ceramics / Porcelain
常用打磨抛光陶瓷的套装



- * Universally grind, remove, polish and finish of Ceramics or Porcelains etc. It widely applied to Laboratory, DIY or Hobbies.
- + 10 pieces of HP Diamond burs ,
- + 4 pieces of Diamond Discs mounted
- + 6 pieces of HP Green Stones
- + 3 pieces of Silicon Rubber wheel mounted
- + 8 pieces of Silicon Rubber Polishers
- + 4 pieces of Polishing brushes

3LR00.1

Popular HP Kit for grinding or polish Acrylic, Resin
常用打磨抛光树脂胶托的套装



- * Universally grind, remove, polish and finish of Acrylic, Resin etc. It widely applied to Laboratory, DIY or Hobbies.
- + 2 pieces of HP Tungsten Carbide Cutters
- + 3 pieces of HP Silicon rubber Polishers
- + 10 pieces of Polishing brushes
- + 3 pieces of Woolen Felt polishing brushes

3Z00.1

Popular HP Kit for grinding or polish Zirconia, Lithium Disilicate
常用打磨抛光氧化锆、玻璃陶瓷的套装



- * Universally grind, polish and finish of Zirconia and Lithium Disilicate etc. It widely applied to Laboratory, DIY or Hobbies.
- + 4 pieces of HP Diamond Burs
- + 2 pieces of Diamond Discs Mounted
- + 6 pieces of Diamond Stones
- + 4 pieces of Diamond polishing wheels
- + 2 pieces of Diamond polishing burs
- + 5 pieces of Diamond Twist polishers
- + 1 pieces of Polishing brush .

ZS100


Hot HP Mounted stones mixed
车石套装,常用。



- * 100 Pcs, Hot Mounted stones in Green, Pink, White , applied to Alloy, metal, ceramics, Jewellery, stones, hard wood etc.
- + 30 pieces of HP Green Stones
- + 30 pieces of HP Pink Stones
- + 30 pieces of White Stones
- + 10 pieces of Brown Stones

ZD 101

Popular HP diamond burs KIT
常用金刚石磨头套装




MD23, MK47, MJ60, MA23, MC18, MM27, MB21, ML40, MG16, MR23

10 Hot Spec. of HP Diamond, universally grind, remove, polish and finish of Alloy, metal, Jewellery, stones etc. It widely applied to Laboratory, DIY or Hobbies.

用途: 选取10支最常用的金刚石磨头, 形状全, 大小适中, 可以用来处理陶瓷工件。

ZD 101F

Popular HP diamond burs KIT
常用金刚石磨头套装




FD23, FK47, FJ60, FA23, FC18, FM27, FB21, FL40, FG16, FR23

10 Hot Spec. of HP Diamond of Fine grit, universally grind, remove, polish and finish of Zirconia, Lithium Disilicate, Porcelain etc. It widely applied to Laboratory, DIY or Hobbies.

用途: 选取10支最常用的金刚石磨头, 形状全, 大小适中, 可以用来处理氧化锆、玻璃陶瓷, 烤瓷等工件。

ZD 102

Small & Tiny Cut, HP diamond burs KIT
金刚石磨头, 小号套装



MD10, MD14, MD23, MK16, MA16, MA23, MC25, MM12, MM18, MM27, MB12, MB16, MB21, ML16, ML23, MN18, MG16, MR23, MQ23, MU50.

20 Spec. small or sharp burs. To create tiny hole, slim curves or tiny, deep grind smartly. Used to Alloy, metal, ceramics, Jewellery, stones, hard wood etc. It widely applied to Laboratory, DIY or Hobbies.

用途: 20支金刚石磨头, 用来开小洞, 细边, 细槽, 或者小的磨削。很轻巧, 灵活。适用于各种金属, 合金, 陶瓷, 珠宝, 宝石, 木头等。

ZD 103

Fast Trimming, HP diamond burs KIT
金刚石磨头套装, 快速磨削



CQ23, CL40, SD35, SA50, SC40, SP70, SG50, SV70, SV60, SF60

20 Spec. HP Diamond for fast trimming, Grinding of Plastic, Jewellery, stones, Hard wood, etc. Save time when removing and work efficiently. 用途: 10支常用的金刚石磨头, 头部相对比较大, 可以快速磨削塑料, 木头, 陶瓷和石头等等, 适用于牙科, 珠宝加工和DIY爱好者。

ZD 104

Hot Fully-Sintered diamond KITS
全砂烧结磨头套装, 常用



C 050S, F050S, L050S, B050C, A037, G050, C037F, F050F, M050EF, G050EF

10 spec. Hot Fully-sintered Diamond HP burs, universal grind, remove, polish and finish of Alloy, metal, Jewellery, stones etc. It widely applied to Lab, DIY or Hobbies.

用途: 10个常用全砂烧结磨头, 5种不同粗细。广泛适用于研磨, 抛光金属, 合金, 珠宝, 宝石。经久耐用, 方便实惠。

ZD 105

Fast Trimming Fully-Sintered diamond KIT
全砂烧结磨头套装, 大磨削




K080S, K100S, J100S, C070S, M070S, B070S, L070S, G060S, F070S, R070S

If workpieces are extremely hard and waste too much time when grinding, this fast trimming kit may help to work efficiently. Applied to Alloy, metal, Jewellery, stones, hard wood, etc.

用途: 10个大头的全砂烧结磨头, 用于粗磨, 去块, 效率高, 经济实惠。

ZT 101

Popular HP Tungsten carbide burs KIT
常用低速钨钢针



HP 1/4, HP 1/2, HP 1, HP 2, HP 3, HP 4, HP 5, HP 8, HP 34, HP 36, HP 38, HP 41, HP 556, HP 557, HP 560, HP 563, HP 699, HP 701, HP 702, HP 704

20 Spec. HP Tungsten Carbide burs are used to create tiny hole, slim curves or tiny, deep grind very smartly. It is applied to Alloy, metal, ceramics, Jewellery, stones, hard wood etc.

用途: 20个型号钨钢车针, 用于雕牙花, 钻小孔, 洞, 开细槽, 细线等, 金属, 合金, 宝石, 坚木都可以用。

ZT 102

Hot Tungsten carbide cutters Kit
钨钢磨头套装, 常用



D050SP, L040SC, L060SC, F060SC, B023SC, L023SC, L040FC, C023FC, L040EFC, F060CC

10 spec. Tungsten carbide Cutter, universal grind, remove, polish and finish of Acrylic, Resin, stones, soft metal or wood.

用途: 10个常用钨钢磨头, 形状全, 大小适中。主要用来研磨, 抛光塑料, 树脂, 软金属, 石头等, 方便实惠。

ZF 101

Acrylic Polishing Kit
树脂托抛光头套装



F060SC, L040SC, U12 x 2, U13 x 2, U16 x 2

Simple and straight way to adjust Acrylic without the problem associated with pumice.

用途: 2个型号的钨钢磨头快速磨削, 三个不同粒度的硅胶磨头依次进行抛光。

ZA 101

Non-precise metal, Alloy Adjust and polish
非贵金属, 铬钻调整与抛光



W-01, W-09, W-08, W-16, W-03, W-06
A201C, A203C, A206C, A201F, A203F

To adjust and polish Cobalt-chromium, nickel chromium Alloy. White stones for adjusting or grinding, Rubber burs for polishing.

用途: 试用于铬钻、镍铬合金等非贵金属的研磨和抛光 6支白车石用来研磨和调整, 5支硅胶磨头用来抛光。

ZP 100

Sandpaper Polishing burs Kit
砂纸棒套装




240#, 400#, 600#, 800#, 1000#, 1500#, 2000#, 2500#, 3000#, 5000#

10 different Grit Sandpaper burs are used for polishing Alloy, metal, Jewellery stones, hard woods etc. Working step by step, mirror surface in coming soon, water cooling or dry are acceptable.

用途: 10个不同粒度的砂纸棒, 从240目到5000目不等, 请根据需要, 选取合适的粒度, 耐心细致的使用。

Z 2001

Popular Felt Polishing bur Kit
毛毡抛光磨头套装



12 pieces of High quality Felt polishing burs are widely used to mould, Alloy, metal, Jewellery, stones, Hard woods etc.

12 pieces of High quality Felt polishing burs are widely used to mould, Alloy, metal, Jewellery, stones, Hard woods etc.

用途: 12支常用的毛毡磨头, 广泛适用于各种模具, 金属, 陶瓷, 珠宝, 宝石和木头等。

Samples Collection

样品册

- Flip-Cart Plastic Pages ;
- Smart, Easily fill all burs ;
- Economic and Recyclable ;
- Nice-looking for showing to Customers;
- Convenient to take to anywhere .



No. 171B5

Empty Collection Wallet
样品本(不带车针)



4 Colors Available ,
100 holes per page,
5 pages per set,
Smart to HP Burs



No. 1704D

Sintered Diamond Burs Collection
全砂烧结磨头样品本



115 specifications ,
Fully Sintered Diamond,
HP shanks



No. 1705D

HP Diamond Burs, Mounted Stones
金刚石磨头, 车石样品本



More than 100 specifications ,
Electroplating Diamond burs
HP Shanks



No. 1707T

Tungsten carbide Burs Collection
高品质钨钢磨头样品本



More than 100 specifications ,
High Quality TC burs,
HP Shanks



No. 1708P

Polishing Burs, Mandrels Collection
抛光磨头, 夹针样品本



More than 100 specifications ,
Silicon, Rubber, Diamond burs
HP Shanks



隐形义齿胶

FlexSoft Partial Dentures



The alternative to conventional Partial Dentures ;
Flexible . Soft. Easy-to-finish. Easy-to-polish
弹性好, 易成型, 易抛亮, 美观大方。



编号 No.	规格 Spec.
D2	Crystal ; 18 gs
C1	Ligth Pink ; 9 gs
C2	Ligth Pink ; 18 gs
B1	Standard Pink ; 9 gs
B2	Standard Pink ; 18 gs
A1	Deep Pink ; 9 gs
A2	Deep Pink ; 18 gs
For bulk pak of 1 kilo.	
C3	Ligth Pink ; 1000 gs
B3	Standard Pink ; 1000 gs
A3	Deep Pink ; 1000 gs



Crystal (D)
(透明)



Light pink (C)
(浅粉红)



Standard pink (B)
(粉红)



Deep pink (A)
(深粉红)



Instructions for Use

Suitable for: Partial and complete dentures, occlusal splints and nightguards.

Not Suitable for: Small unilateral restorations.

Warnings: Use eye protection and heat-resistant gloves when injecting.

Use proper ventilation, vacuum system and masks when grinding prosthodontic resins.

Precautions: Cartridge must be injected within 1 hour of opening the foil pouch.

I. PREPARING THE MASTER MODEL FOR DUPLICATION

All undercuts that will affect the path of insertion should be blocked-out with wax prior to duplication. Do not relieve necklines of teeth or areas desirable for retention. For free-end saddles, it is not necessary to remove the distal undercut of the last natural tooth, unless the area is too deep. For free-end saddle cases where anterior teeth are also being replaced, undercuts in the anterior should also be blocked out.

II. SET-UP

Duplicate blocked-out master model. Articulate the duplicate model and the master model (you will need the master model articulated at finishing steps to check occlusion). Set up the case on the duplicate model using only wax (no base plate).

Allow 1 mm of thickness under the teeth to flow to the labial side and into the retention diatorics in the teeth. Use a small round carbide bur to create mechanical retention in the teeth, from mesial to distal and connected to the center diatoric hole.

III. WAXING

Important: Wax the case with anatomical features to reduce grinding during the finishing stage.

Recommended thickness of wax-up:

1. Palatal thickness 1.2 - 1.5 mm
2. Buccal & Labial Flange 1.2 - 2.0 mm
3. Clasps 1.0 - 1.5 mm
4. Lingual Flange 1.2 - 2.0 mm
5. Lingual Major Connector (Mandibular) 1.7 - 2.0 mm

IV. INVESTING AND SPRUING

Invest the case in the center of the flask, aiming the posterior portion toward the sprue opening. After the stone (or plaster) has set, use two sprues from the flask opening to the most posterior portion of the wax on both sides (see diagram). Sprues should be approximately 7 mm. width. Do not create sharp angles with the sprues, as the heated resin must flow in a straight or slightly curved path. Apply a thin layer of petroleum jelly on the entire stone surface. Then invest top half of flask.

V. REMOVING WAX

After the stone has set, place flask in boiling water for 8 minutes. Open the flask and wash out the wax, making sure all wax residues are eliminated. Allow the flask to cool. Apply thin layers of separator on the entire surface of the stone and allow it to dry completely. Do not apply separator on teeth. When dry, close flask.

VI. INJECTING

Wear safety goggles and heat-protective gloves for this procedure.

Spray inside of the cartridge sleeve with mold release spray and place it into furnace. Turn on the furnace and allow it to reach approximately 550°F (290°C), preheating cartridge sleeve for approximately 15 minutes.

Remove cartridge from foil-lined bag (do not remove cartridge from bag until this step). Spray the cartridge and bronze disc with mold release spray. Insert the cartridge into the cartridge sleeve with the cap end first. Insert the bronze disc into the cartridge sleeve against the end of the cartridge. Use the thick bronze disc for medium tubes and the thin bronze disc for the large tubes. Heat cartridge for 12 minutes.

Position the flask with the sprue end up, directly under the shaft of the press. After 12 minutes, remove the cartridge sleeve from the furnace. Keep the cartridge sleeve in a horizontal position until resting on top of the flask, and then turn the cartridge sleeve into a vertical position. Immediately use the press to inject the heated cartridge into the flask using a steady fast motion. Continue applying pressure until tube bursts and continue with maximum downward pressure for 3 minutes.

Remove the cartridge sleeve from the flask with a slight twisting motion. After removing the cartridge sleeve, let the flask cool for at least 30 minutes. Do not put flask into a cold water bath. Use a plaster nipper to de-flask. Do not use a hammer. Remove the compressed cartridge from the cartridge sleeve with a knock-out punch. Important: Cartridge sleeve must be pre-heated for 10 minutes BEFORE the next injection.

VII. FINISHING AND POLISHING

Remove appliance from the model. Cut off the sprues with a cut-off wheel. Trim the edges of appliance with a coarse grinding wheel. Avoid overheating. Use rubber wheels to smooth scratches. Place the appliance on the articulated master model to check the fit, retention, thickness and occlusion. Clean the tissue surface with a small bristle brush.



To polish, use a coarse dental abrasive, such as pumice, with a wet rag wheel. Apply final shine with a hi-shine compound on low speed with a final buff wheel. Be careful not to overheat appliance.

铝桶

Empty Aluminum Cartridge

编号 No.	规格 D x H, mm
25085	25 x 85 mm
25100	25 x 100 mm
25CAP	24.2 x 16 mm, Cap
22065	22 x 65 mm
22085	22 x 85 mm
22100	22 x 100 mm
22120	22 x 120 mm
22CAP	21.2 x 16 mm, Cap





阿里官网
Website on Alibaba



微信公众
WeChat

深圳点锋研磨材料有限公司

Shenzhen Dian Fong Abrasives Co.,Ltd

地址: 广东省深圳市龙岗区平湖街道辅城坳社区金城路4号盛通云谷C座3楼
Address: 3rd Floor, Block C, ShengTong YunGu, JinCheng Rd., FuChengAo, PingHu, LongGang Distr., 518000, Shenzhen, Guangdong Province, China
网站(Web): www.dianfong.com ; 邮箱(Email): dianfong@foxmail.com
电话(Tel.): +86-755-2834 4545 or 2885 6246 or 2885 6248 ,
手机(Mobile, Wechat, Whatsapp): +86 13528829441